GREAT LAKES WATER QUALITY DATA SUMMARY St.Clair River 1976



Ministry of the Environment The Honourable Harry C. Parrott, D.D.S., Minister

K.H. Sharpe, Deputy Minister Copyright Provisions and Restrictions on Copying:

This Ontario Ministry of the Environment work is protected by Crown copyright (unless otherwise indicated), which is held by the Queen's Printer for Ontario. It may be reproduced for non-commercial purposes if credit is given and Crown copyright is acknowledged.

It may not be reproduced, in all or in part, for any commercial purpose except under a licence from the Queen's Printer for Ontario.

For information on reproducing Government of Ontario works, please contact ServiceOntario Publications at copyright@ontario.ca


GREAT LAKES WATER QUALITY DATA SUMMARY

ST. CLAIR RIVER 1976

Prepared by:
Great Lakes Surveys Unit
Planning and Co-ordination Section
Water Resources Branch
September 1977

CONTENTS

Station Location Map	J
Turbidity	2
Conductivity	6
Ammonia	10
Nitrate + Nitrite	14
Total Nitrogen	18
Phenols	22
Total Phosphorus	26
Reactive Phosphorus	30
Chloride	34
Organic Carbon	38
Total Coliforms	42
Fecal Coliforms	46
Reactive Silicate	50
Total Iron	54




ST. CLAIR RIVER - MINISTRY OF THE ENVIRONMENT (I.J.C.) WATER QUALITY MONITORING RANGES


TURBIDITY-FORMAZIN UNIT

STN#	DIST. FROM U.S. SHORE	MEAN	STD.DEV.	N	MIN.	MAX.
5	100 200 700 1000 1400 1900	2.2 1.9 1.8 1.6 1.6	0.8 0.6 0.5 0.6 0.4	6 6 6 6 5	1.0 1.0 0.8 0.8 1.0	3.2 2.5 2.3 2.4 2.2 1.7
9	100 200 1500 2600 2800 3150	1.8 1.7 1.5 1.5 1.4	0.7 0.5 0.3 0.3 0.4 0.5	6 6 6 6	0.7 0.8 0.9 1.3 0.8	2.5 2.2 1.7 2.0 2.0 2.5
12	100 800 1200 1900 2350 2450	1.6 1.5 1.4 1.2 1.5	0.6 0.4 0.3 0.3 0.4 0.3	6 6 6 6	0.9 1.0 0.9 1.0 1.0	2.4 2.0 1.9 1.6 2.1 2.1
15	100 300 2100 3350 3550 3700	1.5 1.2 1.2 1.6 1.7	0 • 4 0 • 2 0 • 2 0 • 4 0 • 4	6 6 6 6 4	1.0 1.0 1.4 1.5	2.3 1.5 1.5 2.3 2.5 2.6
1.8	50 150 1040 1780 1930 2030	1.4 1.2 1.1 1.3 1.4	0.3 0.1 0.2 0.3 0.4 0.5	6 6 6 6 5	1.0 1.0 1.0 1.0 1.0	1.8 1.4 1.4 1.8 2.2
19	1500 1700 1840 1940 1990 2015	1.3 1.5 1.6 2.1 2.5 2.2	0.6 0.5 0.4 1.1 1.5 0.8	7 7 7 7 7 7 5	0.7 1.1 1.2 1.4 1.6	2.5 2.5 2.5 4.6 5.5 3.5
20	1580 1780 1930 2030	1.4 1.5 1.6	0.4 0.5 0.5 0.5	7 7 7 7	1.0 1.0 1.0	2.2 2.5 2.6 3.0

TURBIDITY -FORMAZIN UNIT

STN#	DIST. FROM U.S. SHORE	MEAN	STD.DEV.	N	MIN.	MAX.
22	1500 1720 1870 1970	1.5 1.6 1.6 2.1	0 • 5 0 • 4 0 • 4 0 • 7	7 7 7 4	1.0 1.0 1.2 1.5	2.5 2.4 2.3 3.0
25	100 400 800 1100 1500	1.6 1.1 1.1 1.2 2.4	1.0 0.4 0.4 0.5 1.0	7 7 7 7 5	0.8 0.8 0.8 0.9	3.5 1.9 1.9 2.2 3.4
32	1900 1950 1975	2.1 2.4 2.4	0.5 0.6 0.6	4 4 4	1.5 1.8 1.9	2.8 3.2 3.3







CONDUCTIVITY UMHOS/CM

STN#	DIST. FROM U.S. SHORE	HEAN	STD.DEV.	:N	MIN.	tiAX.
5	100	227	8	6	220	239
	200	224	7	6	215	235
	700	218	6	6	210	225
	1000	213	5	6	205	219
	1400	220	4	6	215	225
	1900	229	10	5	220	245
9	100	222	8	6	205	227
	200	220	6	6	210	226
	1500	220	15	6	210	250
	2600	214	8	6	200	221
	2800	215	9	6	200	226
	3150	223	8	6	210	230
12	100	221	Τ0	6	205	233
	800	212	6	6	205	217
	1200	2.1. !	š	753	Y(* 1)	.1:7
	7900	210	6	6	205	216
	2350	234	8	6	225	243
	2450	242	7	6	235	250
15	1.00	240	7	6	233	250
	300	214	7	6	205	223
	2100	210	6	6	205	217
	3350	223	9	6	210	234
	3550	256	24	6	240	303
	. 3700	288	19	4	260	305
18	50	216	11	6	205	233
	150	216	7	6	205	220
	1040	213	6	6	205	220
	1780	212	6	6	205	220
	1930	261	28	6	225	300
	20 30	344	30	5	317	390
19	1500	212	6	6	205	219
	1700	213	7	6	205	219
	1840	215	. 7	7	205	223
	1940	241	17	6 7 7 7	220	265
	1990	381	62		295	465
	2015	470	6.5	5	375	540
20	1580	213	7	7 7	205	220
	1780	211	6	7	205	217
	1930	224	14	7	210	249
	2030	242	17	7	219	260

CONDUCTIVITY UMHOS/CM

STN#	DIST. FROM	HEAN	STD.DEV.	N	MIN.	f1AX.
22	1500	212	7	7	205	219
	1720	212	7	7	205	220
	1870	213	6	7	205	220
				, ,	213	220
	1970	218	3	4	213	220
25	100	213	9	7	205	230
	400	212	8	7	205	225
	800	212	7	7	205	220
	1100	211	6	7	205	218
	1500	212	5	5	205	216
	1300	212	3		203	2.3.0
3.0	1.000	242	1.0	4	2.25	250
32	1900	243	12	4	225	250
	1950	1134	673	4	235	1800
	1975	605	657	4	265	1590






AMMONIA(mg/1)


STN#	DIST. FROM U.S. SHORE	MEAN	STD.DEV.	N	MIN.	MAX.
5	100	0.015 0.013	0.007 0.006	6 6	0.006 0.006	0.025 0.020
	700 1000	0.012	0.006	6 6	0.006 0.006	0.020 0.015
	1400 1900	0.015 0.027	0.006 0.018	6 6	0.008 0.012	0.025 0.060
9	100	0.014	0.007	6 5	0.008 0.006	0.025 0.025
	200 1500	0.013	0.007	6	0.004	0.020
	2600	0.014	0.005	6 6	0.008	0.020
	2800 3150	0.012 0.020	0.005	6	0.012	0.030
12	100 800	0.015 0.008	0.006	6 6	0.008	0.025
	1200	0.009	0.004	6	0.004	0.015
	1900	0.008	0.003 0.005	6 6	0.004 0.008	0.010
	2350 2450	0.017	0.005	6	0.010	0.025
15	100 300	0.017 0.009	0.005	6 6	0.010	0.022
	2100	0.009	0.005	6	0.004	0.016
	3350 3550	0.015 0.022	0.007 0.006	6 6	0.006 0.014	0.025
	3700	0.029	0.005	4	0.025	0.035
18	50	0.015 0.010	0.005	6 6	0.008	0.020 0.015
	150 1040	0.009	0.004	6	0.004	0.015
	1780	0.015	0.005	6 6	0.008	0.022 0.070
	1930 2030	0.034 0.033	0.018	5	0.014	0.055
19	1500	0.009	0.004	7 7	0.004	0.015 0.025
	1700 1840	0.016 0.022	0.007	7	0.010	0.030
	1940	0.027	0.008	7 7	0.014 0.014	0.036
	1990 2015	0.034 0.039	0.015 0.022	5	0.014	0.075
20	1580 1780	0.011	0.004	7 7	0.004	0.015 0.018
	1930	1.643	0.506	7	1.000	2.600
	2030	1.929	0.621	7	1.000	3.000

ST.CLAIR RIVER 1976

AMMONIA (mg/l)

STN#	DIST. FROM U.S. SHORE	MEAN	STD.DEV.	N	MIN.	MAX.
22	1500	0.010	0.007	7	0.004	0.025
22	1720	0.018	0.009	7	0.006	0.028
		-				
	1870	0.017	0.010	7	0.004	0.030
	1970	0.024	0.012	4	0.015	0.040
25	100	0.009	0.004	7	0.004	0.015
25						
	400	0.010	0.002	7	0.008	0.015
	800	0.008	0.004	7	0.004	0.015
	1100	0.010	0.007	7	0.004	0.025
	1500	0.012	0.007	5	0.006	0.025
32	1900	0.034	0.005	4	0.030	0.040
7-	1950	0.043	0.006	4	0.035	0.050
			The same of the sa		01 G1 55 1-51 510	(a) (a) (b) (c) (c) (c) (d)
	1975	0.044	0.014	4	0.035	0.065







NITRITE + NITRATE (mg/l)

STN#	DIST. FROM U.S. SHORE	MEAN	S'ID.DEV.	N	MIN.	MAX.
5	100	0.223	0.044	6	0.185	0.290
-	200	0.219	0.048	6	0.170	0.280
	700	0.218	0.045	6	0.175	0.270
	1000	0.220	0.047	6	0.175	0.280
	1400	0.220	0.043	6	0.180	0.270
	1900	0.228	0.056	6	0.180	0.310
9	100	0.220	0.048	6	0.170	0.270
	200	0.281	0.167	6	0.175	0.610
	1500	0.223	0.051	6	0.175	0.270
	2600	0.220	0.041	6	0.175	0.260
	2800	0.207	0.042	6	0.175	0.260
	3150	0.227	0.044	6	0.185	0.280
12	100	0.223	0.041	6	0.185	0.270
	800	0.220	0.045	6 6	0.175 0.170	0.270 0.270
	1200 1900	0.221 0.221	0.047 0.040	6	0.175	0.260
	2350	0.221	0.045	6	0.165	0.260
	2450	0.218	0.041	6	0.165	0.260
15	100	0.227	0.042	6	0.170	0.270
13	300	0.225	0.043	6	0.170	0.270
	2100	0.233	0.056	6	0.170	0.290
	3350	0.231	0.048	6	0.175	0.280
	3550	0.223	0.047	6	0.155	0.270
	3700	0.238	0.039	4	0.180	0.260
18	50	0.233	0.051	6	0.170	0.290
	150	0.230	0.048	6	0.175	0.280
	1040	0.226	0.046	6	0.170	0.270
	1780	0.226	0.042	6	0.180	0.270
	1930 2030	0.225 0.225	0.039 0.041	6 4	0.180 0.185	0.260 0.260
			0.041	•		
19	1500	0.230	0.045	2	0.175	0.280
	1700	0.229	0.046	7	0.170	0.280
	1840	0.229	0.046		0.170	0.280
	1940	0.234	0.043	,	0.175	0.280
	1990 2015	0.236 0.263	0.047 0.015	7 7 7 3	0.170 0.250	0.280 0.280
20	1580	0.230	0.043	7	0.180	0.290
20	1780	0.241	0.043	ŕ	0.180	0.310
	1930	0.233	0.058	7	0.145	0.310
	20 30	0.233	0.037	7 7 7	0.145	0.290
22	1500	0.224	0.045	7	0.170	0.280
	1720	0.229	0.046	á	0.180	0.280
	1870	0.227	0.035	7	0.185	0.260
	1970	0.265	0.019	4	0.250	0.290

NITRITE + NITRATE (mg/1)

STN#	DIST. FROM U.S. SHORE	MEAN	STD.DEV.	N	mn.	MAX.
25	100	0.234	0.055	7	0.170	0.300
	400 800 1100 1500	0.232 0.229 0.228 0.237	0.055 0.066 0.051 0.039	7 7 7 5	0.180 0.135 0.175 0.185	0.300 0.310 0.290 0.280
32	1900 1950 1975	0.260 0.258 0.260	0.008 0.013 0.016	4 4 4	0.250 0.240 0.240	0.270 0.270 0.280






TOTAL NITROGEN (mg/1)


STN#	DIST. FROM U.S. SHORE	MEAN	STD.DEV.	N	MIN.	MAX.
5	100	0.454	0.079	6	0.320	0.550
•	200	0.430	0.052	6 6 6 6	0.345	0.485
	700	0.434	0.063	6	0.360	0.515
	1000	0.427	0.047	6	0.380	0.495
	1400	0.439	0.108	6	0.315	0.600
	1900	0.458	0.098	6	0.355	0.625
9	100	0.434	0.037	6	0.380	0.495
-	200	0.498	0.153	6 6 6 6	0.365	0.785
	1500	0.462	0.075	6	0.365	0.570
	2600	0.451	0.040	6	0.390	0.505
	2800	0.450	0.044	6	0.375	0.495
	3150	0.469	0.082	6	0.355	0.590
12	100	0.474	0.086	6	0.395	0.625
7	800	0.443	0.053	6	0.380	0.515
	1200	0.449	0.088	6 6 6	0.305	0.550
	1900	0.418	0.055	6	0.335	0.475
	2350	0.438	0.077	6	0.345	0.545
	2450	0.460	0.073	6	0.375	0.535
15	100	0.429	0.059	6 6 6	0.330	0.485
	300	0.423	0.061	6	0.355	0.485
	2100	0.440	0.096	6	0.325	0.555
	3350	0.492	0.091	6	0.365	0.595
	3550	0.455	0.075	6	0.360	0.525
	3700	0.501	0.071	4	0.395	0.545
1.8	50	0.472	0.079	6	0.375	0.590
	150	0.419	0.095	6	0.280	0.520
	1040	0.438	0.083	6	0.330	0.555
	1780	0.438	0.082	6	0.325	0.515
	1930	0.466	0.075	6	0.375	0.570
	2030	0.535	0.098	5	0.425	0.635
19	1500	0.471	0.082	7 7 7 7 7	0.360	0.605
	1700	0.471	0.097	7	0.350	0.615
	1840	0.478	0.082	7	0.350	0.600
	1940	0.485	0.080	7	0.365	0.560
	1990	0.529	0.100	7	0.390	0.635
	2015	0.534	0.119	5	0.340	0.665
20	1580	0.461	0.092	7	0.340	0.545
	1780	0.468	0.072	7	0.355	0.535
	1930	0.486	0.100	7	0.350	0.655
	2030	0.596	0.115	7	0.455	0.725

TOTAL NITROGEN(mg/1)

STN#	DIST. FROM	HEAN	STD.DEV.	N	MIN.	tiax.
22	1500	0.459	0.099	7	0.325	0.605
	1720	0.474	0.100	7	0.360	0.595
	1870	0.501	0.131	7	0.335	0.725
	1970	0.555	0.066	4	0.485	0.635
25	100	0.469	0.105	7	0.345	0.675
	400	0.484	0.076	7	0.380	0.575
	800	0.459	0.086	7	0.305	0.555
	1100	0.432	0.074	7	0.300	0.505
	1500	0.471	0.073	5	0.360	0.545
32	1900	0.545	0.020	4	0 • 525	0.570
	1950	0.631	0.123	4	0 • 545	0.810
	1975	0.586	0.028	4	0 • 545	0.605



Edm




PHENOLS (ug/l)

STN#	DIST. FROM U.S. SHORE	MEAN	STD.DEV.	N	MIN.	MAX.
5	100	1.0	0.0	5	1.0	1.0
	200	1.0	0.0	5 5	1.0	1.0
	700	1.0	0.0	5	1.0	1.0
	1000	1.0	0.0	5 5 5	1.0	1.0
	1400	1.0	0.0	5	1.0	1.0
	1900	1.0	0.0	5	1.0	1.0
9	100	1.0	0.0	5 5	1.0	1.0
	200	1.2	0.4	5	1.0	2.0
	1500	1.0	0.0	5	1.0	1.0
	2600	1.0	0.0	5	1.0	1.0
	2800	1.0	0.0	5	1.0	1.0
	3150	1.4	0.5	5	1.0	2.0
12	100	1.0	0.0	5	1.0	1.0
	800	1.2	0.4	5	1.0	2.0
	1200	1.0	0.0	5	1.0	1.0
	1900	1.0	0.0	5	1.0	1.0
	2350	1.6	0.5	5	1.0	2.0
	2450	1.8	0.4	5	1.0	2.0
15	100	1.2	0 • 4	5	1.0	2.0
	300	1.4	0.9	5	1.0	3.0
	2100	1.0	0.0	5 5 5 3	1.0	1.0
	3350	1.0	0.0	5	1.0	1.0
	3550	1.6	0.5	5	1.0	2.0
	3700	3.3	2.1	3	1.0	5.0
18	50	1.0	0.0	5 5	1.0	1.0
	150	1.0	0.0	5	1.0	1.0
	1040	1.0	0.0	5	1.0	1.0
	1780	1.0	0.0	5	1.0	1.0
	1930	1.8	1.3	5	1.0	4.0
	2030	1.3	0.6	3	1.0	2.0
19	1500	1.0	0.0	6	1.0	1.0
	1700	1.0	0.0	6	1.0	1.0
	1840	1.3	0.8	6	1.0	3.0
	1940	2.0	1.3	6	1.0	4.0
	1990	4.5	4.8	6	1.0	14.0
	2015	3.0	1.2	4	2.0	4.0
20	1580	1.3	0.8	6	1.0	3.0
	1780	1.5	1.2	6	1.0	4.0
	1930	3.3	2.3	6	1.0	7.0
	2030	5.7	2.1	6	2.0	8.0


PHENOLS (ug/1)

STN#	DIST. FROM U.S. SHORE	MEAN	STD.DEV.	N	MIN.	MAX.
22	1500 1720 1870 1970	1.8 1.5 1.5	2.0 1.2 1.2 0.0	6 6 6 3	1.0 1.0 1.0 1.0	6.0 4.0 4.0 1.0
25	100 400 800 1100 1500	1.2 1.0 1.0 1.0	0 • 4 0 • 0 0 • 0 0 • 0 0 • 0	6 6 6 4	1.0 1.0 1.0 1.0	2.0 1.0 1.0 1.0
32	1900 1950 1975	1.7 2.7 3.3	0.6 1.5 1.5	3 3 3	1.0 1.0 2.0	2.0 4.0 5.0



800 1000 1200 1400 1600 1800 2000

DISTANCE IN FEET FROM U.S. SHORE





TOTAL PHOSPHORUS (ug/1)

STN#	DIST. FROM U.S. SHORE	MEAN	STD.DEV.	N	MIN.	MAX.
5	100 200 700 1000 1400 1900	9.8 8.7 7.2 7.7 8.5 8.8	3.7 3.1 2.3 3.3 5.9 7.6	6 6 6 6	6.0 4.0 4.0 3.0 2.0	16.0 13.0 10.0 12.0 19.0 23.0
9	100 200 1500 2600 2800 3150	9.8 8.5 7.3 6.7 7.7 8.3	4.4 4.2 3.9 3.1 3.7 6.6	6 6 6 6	4.0 2.0 1.0 3.0 2.0 3.0	16.0 13.0 11.0 12.0 13.0 20.0
12	100 800 1200 1900 2350 2450	8.0 6.2 7.8 5.3 7.7 7.5	3.2 2.8 3.6 3.1 3.9 2.8	6 6 6 6	4.0 3.0 2.0 2.0 3.0 4.0	12.0 10.0 12.0 10.0 13.0 12.0
15	100 300 2100 3350 3550 3700	7.3 6.6 5.8 8.0 8.8 12.5	3.1 3.4 3.5 4.2 3.7 3.1	6 5 6 6 4	4.0 2.0 2.0 2.0 4.0 8.0	13.0 11.0 10.0 13.0 13.0
18	50 150 1040 1780 1930 2030	10.2 6.8 7.4 8.2 11.3 18.8	4.4 3.9 2.9 4.5 6.0 7.9	6 5 6 6	4.0 2.0 3.0 3.0 5.0	15.0 12.0 11.0 15.0 20.0 27.0
19	1500 1700 1840 1940 1990 2015	9.1 8.4 9.6 10.1 13.3 13.6	4.6 4.6 3.8 4.3 4.5	7 7 7 7 7 5	2.0 3.0 4.0 6.0 7.0 6.0	17.0 16.0 15.0 17.0 19.0 18.0
20	1580 1780 1930 2030	6.6 7.6 9.7 16.1	3.0 3.5 1.7 7.8	7 7 7 7	2.0 2.0 7.0 8.0	11.0 11.0 12.0 31.0

TOTAL PHOSPHORUS (ug/1)

STN#	DIST. FROM	MEAN	STD.DEV.	N	MIN.	MAX.
22	1500	7.7	4.4	7	1.0	14.0
	1720	7.6	2.6	7	4.0	11.0
	1870	10.1	3.1	7	5.0	15.0
	1970	12.8	4.9	4	7.0	19.0
25	100	8.6	4.7	7	5.0	17.0
	400	7.6	4.0	7	2.0	13.0
	800	7.7	3.9	7	3.0	13.0
	1100	7.0	3.8	7	2.0	13.0
	1500	9.6	4.3	5	6.0	17.0
32	1900	14.0	1.8	4	12.0	16.0
	1950	21.0	7.4	4	10.0	26.0
	1975	14.8	5.1	4	10.0	22.0







REACTIVE PHOSPHORUS (ug/1)

STN#	DIST. FROM U.S. SHORE	MEAN	STD.DEV.	N	MIN.	MAX.
5	100 200 700 1000 1400 1900	4.5 4.2 3.2 4.5 4.8	2.4 1.7 1.2 2.0 3.1 3.5	6 6 6 6	2.0 1.0 2.0 3.0 2.0 2.0	9.0 6.0 5.0 7.0 10.0
9	100 200 1500 2600 2800 3150	3.7 3.2 3.0 3.2 2.8 3.7	2.3 2.1 2.3 2.1 1.3 3.3	6 6 6 6	2.0 1.0 1.0 1.0 1.0	8.0 7.0 7.0 7.0 4.0 10.0
12	100 800 1200 1900 2350 2450	3.2 3.0 3.7 2.5 3.0 3.2	1.2 0.9 1.5 1.0 1.4	6 6 6 6	2.0 2.0 2.0 1.0 1.0	5.0 4.0 6.0 4.0 5.0
15	100 300 2100 3350 3550 3700	3.2 3.0 3.0 3.2 3.7 4.8	1.0 0.9 1.8 1.5 1.5	6 6 6 6	2.0 2.0 1.0 1.0 2.0 2.0	4.0 4.0 6.0 5.0 6.0 7.0
18	50 150 1040 1780 1930 2030	4.8 3.3 3.5 3.7 3.8 6.8	2.2 2.0 1.6 1.6 1.8 5.8	6 6 6 6 5	3.0 1.0 2.0 2.0 2.0 3.0	8.0 6.0 6.0 7.0 17.0
19	1500 1700 1840 1940 1990 2015	4.6 4.7 4.4 5.0 4.8	2.2 2.6 2.1 1.5 2.2 1.9	7 7 7 7 7 5	1.0 1.0 2.0 2.0 2.0 2.0	7.0 9.0 7.0 6.0 7.0
20	1580 1780 1930 2030	3.0 3.3 4.3 5.7	1.7 1.7 1.8 2.5	7 7 7 7	1.0 1.0 2.0 2.0	5.0 5.0 7.0 9.0

REACTIVE PHOSPHORUS (ug/1)

STN#	DIST. FROM U.S. SHORE	MEAN	STD.DEV.	N	MIN.	MAX.
22	1500 1720	3.4 3.3	2.4 1.7	7 7	1.0	8.0 6.0
	1870 1870	3.9 5.0	1.7 0.8	7 4	2.0 4.0	6.0 6.0
25	100 400	3.6 3.4	2.6 1.8	7	1.0 2.0	9.0 7.0
	800 1100	3.0 3.3	1.5	7 7	2.0 1.0	6.0 6.0
	1500	4.6	2.3	5	1.0	7.0
32	1900 1950 1975	5.8 9.8 5.5	1.5 4.3 1.3	4 4 4	4.0 6.0 4.0	7.0 16.0 7.0







CHLORIDE (mg/l)

	DIST. FROM	IEAN	STO.DEV.	Ń	MIN.	:1AX.
	100	9.4	0.9	6	3.5	11.0
5	200	9.2	0.6	5	3.5	10.0
	700	7.1.	0.5	6	6.4	7.7
		6.6	0.2	6	6.4	7.0
	1000	7.6	0.8	6	6.8	8.7
	1400 1900	3.9	0.6	6	7.3	9.8
q	100	9.3	1.6	6	7.8	11.5
	200	9.0	1.4	6	7.4	11.0
	1500	6.2	2.0	7	5.3	7.0
	2600	7.6	0.5	6	7.1	8.6
		8.3	0.6	5	7.6	9.2
	2800 3150	9.9	1.1	6	8.6	11.5
12	100	7.3	1.7	1.1	5.9	11.0
.1 Z	800	6.0	0.2	6	5.9	6.3
	1200	6.1	0.2	6	5.9	6.3
		6.2	0.3	6	5.7	6 • 4
	1,900	12.6	1.5	6	10.0	14.5
	2350 2450	14.3	1.2	6	12.5	1.5.5
15	100	12.7	3.4	б	6.6	16.5
1.5	300	6.5	0.5	6	6.1	7.8
	2100	6.0	0.3	6	5.6	5 • 4
	3350	9.0	1.3	6	7.6	11.0
	3550	16.7	8.3	6	8.2	31.0
	3700	18.0	1.4.3	6	0.0	31.5
13	50	6.4	0.5	6	5.8	7.0
eller 18.	1.50	6.2	0.2	6	6.0	6.5
	1040	6.0	0.2	6	5.8	5.3
	1780	6.5	0.3	6	6.3	7.1
	1930	19.9	9.7	5	8.5	31.0
	2030	39.5	11.3	5	27.5	57.5
19	1.500	6.1	0.2	7	5.9	6.4
3	1.700	6.1	0.2	7	5.9	6.5
	1840	6.6	0.4	7	6.2	7.2
	1940	13.4	4.8	7	8.5	21.5
	1990	51.1	19.1	7	32.0	80.0
	2015	79.2	19.1	5	50.0	96.0
20	1580	6.6	1.0	7	5.9	8.9
	1780	6.2	0.2	7	6.0	6.4
	1930	8.3	3.3	7	6.1	13.5
	2030	13.8	4.2	7	7.0	18.0
22	1.500	6.1	0.3	7	5.3	6.5
871 800	1720	6.2	0.2	7	5.9	6.5
	1870	6.1	0.7	7	4.5	6.5
		6.6	0.1	4	6.4	6.7

CHLORIDE (mg/1)

STN#	DIST. FROM	HEAN	STO.DEV.	Ŋ	mia.	UAX.
25	100 400 800 1100 1500	6.4 5.1 6.0 6.1 6.3	0.5 0.3 0.2 0.2 0.2	7 7 7 7 4	5.9 5.8 5.9 6.0	7.1 6.8 6.4 6.4 6.4
32	1900 1950 1975	11.3 287.8 119.1	2.9 208.8 200.7	4 4 4	7.1 11.2 14.0	13.5 500.0 420.0






ORGANIC CARBON (mg/l)

STN#	DIST. FROM U.S. SHORE	MEAN	STD.DEV.	N	MIN.	MAX.
5	100	3.0	1.4	4	2.0	5.0
	200	4.0	1.8	4 4	2.0 2.0	6.0 6.0
	700 1000	3.8 4.0	1.7 2.2	4	2.0	7.0
	1400	4.8	1.7	4	3.0	7.0
	1900	4.8	1.7	4	3.0	7.0
9	100	4.0	1.2	4	3.0	5.0
	200	4.5	1.7	4	3.0	7.0
	1500	4.8	1.7	4	3.0	7.0
	2600	4.0	1.4	4	3.0	6.0
	2800	5.0	1.8	4	3.0	7.0
	3150	4.0	1.6	4	2.0	6.0
12	100	4.0	1.2	4	3.0	5.0
	800	3.3	1.7	4	1.0	5.0
	1200	4.8	1.3	4	3.0	6.0
	1900	3.8	1.7	4	2.0	6.0
	2350	4.3	1.3	4	3.0	6.0
	2450	4.0	0.8	4	3.0	5.0
15	100	4.5	1.7	4	3.0	6.0
	300	4.3	1.5	4	3.0	6.0
	2100	4.5	2.1	4	2.0	7.0
	3350	3.7 4.3	3.1 1.5	3	1.0 3.0	7.0 6.0
	35 50 3700	5.3	2.1	4 3 3 3	3.0	7.0
18	50	5.0	1.7	3	3.0	6.0
	150	4.7	0.6	3	4.0	5.0
	1040	5.0	1.7	3 3 3 3	4.0	7.0
	1780	6.3	4.0	3	4.0	11.0
	1930	4.7	0.6		4.0	5.0
	2030	5.3	1.5	3	4.0	7.0
19	1500	4.5	1.3	4	3.0	6.0
	1700	4.5	1.0	4	3.0	5.0
	1840	4.5	1.7	4	3.0	7.0
	1940	5.5	1.3	4	4.0	7.0
	1990 2015	5.3 5.8	2.9 1.0	4 4	3.0 5.0	9.0 7.0
20	1580	5.0	0.8	4	4.0	6.0
	1780	4.8	2.2	4	3.0	8.0
	1930	4.3	1.3	4	3.0 5.0	6.0
	2030	6.8	1.5	4	5.0	8.0

ST.CLAIR RIVER 1976


ORGANIC CARBON (mg/l)

STN#	DIST. FROM U.S. SHORE	MEAN	STD.DEV.	N	MIN.	MAX.
22	1500	4.5	1.7	4	3.0	7.0
	1720	5.3	1.0	4	4.0	6.0
	1870	4.0	1.8	4	2.0	6.0
	1970	7.5	4.0	4	4.0	13.0
25	100	6.0	1.4	4	5.0	8.0
	400	5.0	1.0	3	4.0	6.0
	800	4.7	1.5	3	3.0	6.0
	1100	3.7	0.6	3	3.0	4.0
	1500	4.3	0.6	3	4.0	5.0
32	1900	6.3	2.6	4	4.0	10.0
	1950	5.3	1.0	4	4.0	6.0
	1975	5.5	1.0	4	4.0	6.0



400 600 600 1000 1200 1400 1600 1600 2000

DISTANCE IN FEET FROM U.S. SHORE




TOTAL COLIFORMS (counts/100ml)

STN#	DIST. FROM U.S. SHORE	GEO.MEAN	N	MIN.	MAX.
5	100	389	3	220	1100
•	200	246	3	±76	348
	700	111	3	80	T80
	1000	97	3 3 3 2	72	132
	1400	425	3	180	1400
	1900	652	3	316	1500
9	100	171	3 3	88	376
	200	152	3	64	288
	1500	478	3	208	1000
	2600	868	3	632	1400
	2800	2016	3	1000	2600
	3150	2052	3	1000	3600
12	100	180	3 3 3 3 3	100	404
	800	6	3	4	16
	1200	12	3	8	16
	1900	863	3	684	1200
	2350	1668	3	240	4600
	2450	1512	3	248	4500
15	100	139	3 3 3 3 3	92	252
	300	93	3	64	176
	2100	39	3	20	108
	3350	1234	3	602	2600
	3550	2052	3	500	4800
	3700	1123	3	68	6500
18	50	284	3 3 3 3	172	544
	150	152	3	114	192
	1040	4 2	3	8	114
	1780	579	3	268	1100
	1930	1094		728	1500
	20 30	1593	3	608	3500
19	1500	54	4	16	192
	1700	359	4	60	4900
	1840	746	4	210	2800
	1940	359	4	40	1800
	1990	413	4	44	2400
	2015	202	4	12	3200
20	1580	37	4	20	112
	1780	384	4	7 2	2300
	1930	₹ 1066	4	344	3200
	2030	714	4	68	3800


TOTAL COLIFORMS (counts/100ml)

STN#	DIST. FROM U.S. SHORE	GEO.MEAN	N	MIN.	MAX.
					224
22	1500	88	4	12	304
	1720	289	4	1	8400
	1870	993	4	190	3100
	1970	195	4	L	1400
25	1.00	ì	<i>z</i> 1	.f.	1
	4 C O	1	4	1	1
	800	2	4	1	20
	1100	2	4	1	12
	1500	3	4	ī	40
32	1900	953	4	490	3000
	1950	662	4	100	2800
	1975	264	4	1	3600



600 800 1000 1200 1400 1600 1800 2000


DISTANCE IN FEET FROM U.S. SHORE



500 B00 1000 1200 1400 1500 1800 2000

DISTANCE IN FEET FROM U.S. SHORE

200




DISTANCE IN FEET FROM U.S. SHORE

FECAL COLIFORMS (counts/100ml)

STN#	DIST. FROM U.S. SHORE	GEO.MEAN	N	MIN.	MAX.
5	100	33	3	8 1	284
	200	11	3 3 3 3 3	1	68
	700	9	3	4	16
	T000	17	3	8	52
	1400	23	3	4	56
	1900	29	3	8	56
9	100	13	3 3 3 3 3	1	48
	200	11	3	4	20
	1500	6	3	Ţ	64
	2600	37	3	4	164
	2800	81	3	76	92
	3150	113	3	8 4	164
12	100	9	3 3 3 3 3	1	40
	800	2 3	3	1	4
	1200		3	1	4
	1900	36	3	4	188
	2350	59	3	16	144
	2450	51	3	20	92
15	100	4	3 3 3 3 3	1	16
	300	12	3	4	32
	2100	1	3	1	1
	3350	68	3	20	440
	3550	87	3	12	440
	3700	115	3	20	412
18	50	20	3 3 3 3	8	64
	150	12	3	4	24
	1040	4	3	1	12
	1780	25	3	8	52
	1930	48		24	84
	2030	45	3	12	184
.19	1500	3 6	4	1 1 1 1	8
	1700	6	4	1	248
	1840	19	4	1	176
	1940	17	4	1	168
	1990	8 7	4	1	116
	2015	7	4	1	88
20	1580	3	4	1	32
	1780	19	4	8	168
	1930	46	4	8 12	300
	2030	38	4	12	140


FECAL COLIFORMS (counts/100ml)

STN#	DIST. FROM U.S. SHORE	GEO.MEAN	N	MIN.	MAX.
22	1500 1720 1870 1970	3 22 21 21	4 4 4	1 1 1	8 560 196 140
25	100 400 800 1100 1500	1 1 1 2	4 4 4 4	1 1 1 1	1 1 1 16
32	1900 1950 1975	32 25 17	4 4 4	8 1 1	204 244 260



488 688 688 1888 1288 1488 1688 1688 2888

DISTANCE IN FEET FROM U.S. SHORE





REACTIVE SILICATE (mg/)

5TN#	DIST. FROM	HEAN	STD.DEV.	N	MIN.	MAX.
5	100	0.30	0.14	6	0.15	0.5
,	200	0.28	0.10	6	0.15	0.4
	700	0.26	0.07	6	0.15	0.3
	1000	0.27	0.10	6	0.15	0.4
	1400	0.24	0.07	6	0.15	0.3
	1900	0.27	0.12	6	0.15	0.5
9	100	0.29	0.12	6	0.15	0.5
	200	0.32	0.20	6	0.15	0.7
	1500	0.32	0.17	6	0.15	0.5
	2600	0.30	0.18	6	0.15	0.6
	2800	0.27	0.12	6	0.15	0.5
	3150	0.27	0.12	6	0.15	0.5
12	100	0.29	0.12	6	0.15	0.5
	800	0.27	0.13	6	0.15	0.5
	1200	0.29	0.16	6	0.15	0.6
	1900	0.28	0.14	6	0.15	0.5
	2350	0.28	0.11	6	0.20	0.5
	2450	0.23	0.03	6	0.20	0.7
15	100	0.24	0.07	6	0.15	0.3
	300	0.28	0.09	6	0.15	0.4
	2100	0.26	0.09	6	0.15	0.4
	3350	0.26	0.07	6	0.20	0.4
	3550	0.23	0.03	6	0.20	0.
	3700	0.28	0.10	4	0.20	0 • 4
18	50	0.28	0.09	6	0.15	0.4
	150	0.27	0.08	6	0.15	0.
	1040	0.26	0.07	6	0.20	0 •
	1780	0.30	0.15	6	0.20	0.0
	1930	0.25	0.05	6	0.20	0.
	20 30	0.26	0.09	4	0.20	0 .
19	1500	0.29	0.17	7	0.15	0.
	1700	0.29	0.17	7	0.15	0.
	1840	0.31	0.20	7	0.20	0.
	1940	0.28	0.15	7	0.15	0.0
	1990	0.26	0.08	7	0.15	0.
	2015	0.32	0.22	5	0.15	0.
20	1580	0.30	0.20	7	0.20	0.
	1780	0.25	0.07	7	0.20	0.
	1930	0.22	0.03	7	0.20	0.
	2030	0.21	0.02	7	0.20	0.

REACTIVE SILICATE (mg/1)

STN#	DIST. FROM	MEAN	STD.DEV.	N	min.	MAX.
22	1500	0.27	0.10	7	0.20	0.45
	1720	0.29	0.13	7	0.20	0.55
	1870	0.29	0.14	7	0.20	0.60
	1970	0.30	0.20	4	0.20	0.60
25	100	0.24	0.09	7	0.05	0.35
	400	0.27	0.11	7	0.15	0.50
	800	0.25	0.10	7	0.15	0.45
	1100	0.26	0.14	7	0.15	0.55
	1500	0.30	0.09	5	0.25	0.45
32	1900	0.29	0.18	4	0.20	0.55
	1950	0.33	0.22	4	0.20	0.65
	1975	0.26	0.13	4	0.20	0.45





TOTAL IRON (mg/l)

STN#	DIST. FROM U.S. SHORE	MEAN	STD.DEV.	N	MIN.	.xam
5	100	0.17	0.03	6	0.14	0.20
	200	0.15	0.03	6	0.11	0.18
	700	0.12	0.04	6	0.07	0.19
	1000	0.13	0.05	6	0.08	0.23
	1400	0.09	0.01	6	0.07	0.10
	1900	0.18	0.15	5	0.10	0.44
9	100	0.13	0.02	6	0.10	0.16
	200	0.12	0.00	6	0.11	0.12
	1500	0.08	0.01	6	0.06	0.10
	2600	0.07	0.03	6	0.02	0.10
	2800	0.10	0.04	6	0.06	0.17
	3150	0.08	0.01	6	0.06	0.09
12	100	0.11	0.03	6	0.08	0.14
	800	0.08	0.05	6	0.04	0.17
	1200	0.08	0.05	6	0.05	0.17
	1900	0.05	0.01	6	0.04	0.06
	2 350	0.11	0.06	6	0.05	0.2
	2450	0.12	0.06	6	0.07	0.23
15	100	0.11	0.05	6	0.07	0.18
	300	0.07	0.04	6	0.04	0.10
	2100	0.05	0.03	6	0.03	0.10
	3350	0.07	0.03	6	0.04	0.10
	3550	0.14	0.10	6 4	0.04 0.08	0.2
	3700	0.13	0.05	4	0.08	0.20
18	50	0.09	0.02	6	0.06	0.1
	150	0.08	0.05	6	0.04	0.18
	1040	0.06	0.02	6	0.03	0.10
	1780	0.07	0.04	6 6	0.04 0.03	0.10
	1930	0.10	0.09 0.02	4	0.05	0.1
	2030	0.07	0.02		0.00	
19	1500	0.07	0.04	7 7	0.04	0.1
	1700	0.08	0.05	7	0.03 0.04	0.1
	1840	0.08	0.03	. 7	0.04	0.2
	1940	0.12 0.16	0.08 0.15	7	0.08	0.4
	1990 2015	0.10	0.15	5	0.08	0.2
2.0		0.00		7	0.05	0.0
20	1580	0.06	0.02	7 7	0.03	0.1
	1780	0.08	0.04 0.04	7	0.05	0.1
	1930 2030	0.09 0.15	0.16	7	0.06	0.5
2.2			0.04	7	0.03	0.1
22	1500	0.06	0.04 0.04	7 7	0.03	0.1
	1720	0.09 0.09	0.04	7	0.04	0.1
	1870 1970	0.09	0.03	4	0.05	0.1


ST.CLAIR RIVER 1976


TOTAL IRON (mg/l)

STN#	DIST. FROM U.S. SHORE	MEAN	STD.DEV.	N	MIN.	MAX.
25	100	0.10	0.10	7	0.02	0.29
	400	0.07	0.07	7	0.02	0.21
	800	0.06	0.04	7	0.02	0.13
	1100	0.06	0.04	7	0.02	0.13
	1500	0.10	0.05	5	0.06	0.18
32	1900	0.11	0.04	4	0.06	0.15
	1950	0.13	0.03	4	0.08	0.15
	1975	0.11	0.06	4	0.04	0.17

TOTAL IRON (mg/l)

STN#	DIST. FROM U.S. SHORE	MEAN	STD.DEV.	N	MIN.	MAX.
25	100	0.10 0.07	0.10 0.07	7 7	0.02 0.02	0.29 0.21
	800 1100 1500	0.06 0.06 0.10	0.04 0.04 0.05	7 7 5	0.02 0.02 0.06	0.13 0.13 0.18
32	1900 1950	0.11 0.13	0.04 0.03	4	0.06 0.08	0.15 0.15
	1975	0.11	0.06	4	0.04	0.17





116

Date Due

,

•



MOE/STC/GRE/ALNG
Ontario Ministry of the En
Great Lakes water
quality summary - alng
c.1 a aa